



תעודת הסמכה מס' 174

אל-כם שירותי יעוץ והנדסה בע מ

כתובת אתר ייחוס: ת.ד.2417, כפר סבא 44641

עד יום: 01.06.2020

בתוקף מיום: 02.06.2018

הארגון נבדק ונבחן על ידי הרשות הלאומית להסמכת מעבדות (להלן הרשות) ונמצא ראוי להסמכה בהתאם לנספח פירוט היקף ההסמכה המצורף לתעודה זו, המהווה חלק בלתי נפרד ממנה ומספרו זהה למספר התעודה. הסמכה מצביעה על כשירות מקצועית ותפעול מערכת ניהול איכות בעלת הכרה בינלאומית. הארגון המוסמך על ידי הרשות, עומד בתקנים/ בדרישות המפורטים למעלה. דרישות התקנים הם לכשירות מקצועית ולמערכות ניהול, שהינן הכרחיות למתן תוצאות אמינות. הסמכה זו ניתנה בהתאם לכללי ISO/IEC 17011:2017 לפיהם פועלת הרשות ובמסגרתם מקיימת פיקוח שוטף על הארגון לצורך בחינת תפקודו המתמשך בהתאם לדרישות ההסמכה. ההסמכה תקפה כל עוד הארגון עונה לאמות המידה שנקבעו על ידי הרשות. תעודה זו אינה מהווה אישור לפי סעיף 12 לחוק התקנים.

תאריך הסמכה ראשון: 02.06.2008

מנכ"ל

הרשות הלאומית להסמכת מעבדות

Date of signature 30.06.2019

Page No. 1 of: 21



הרשות הלאומית להסמכת מעבדות
Israel Laboratory Accreditation Authority

Testing Laboratories

ISO/IEC 17025:2005

Accreditation Certificate No. 174

Alchem Consulting & Engineering Ltd

Main site address: 1 Hayozma, P.O. Box 2417 Kfar Saba 44641 , Israel

Valid from: 02.06.2018

Until: 01.06.2020

The organization was assessed by the Israel Laboratory Accreditation Authority (ISRAC) and found to be worthy of accreditation to the detailed schedule attached.

The schedule is an integral part of this certificate and is numbered with the above certificate number.

Accreditation demonstrates technical competence and operation of an internationally recognized quality management system.

The organization accredited by ISRAC complies with the standards/requirements mentioned above, meets the technical competence requirements and management system requirements that are necessary for it to consistently deliver technically competent results. This accreditation is granted in accordance with the requirements of ISO/IEC 17011:2017, and entails periodic surveillance and reassessment by ISRAC to ensure that the organization continues to comply with the accreditation requirements.

The accreditation is valid provided that the organization continues to meet the criteria as laid down by ISRAC.

This certificate does not constitute an approval in accordance with article 12 of the standard law.

Date of first accreditation: 02.06.2008

Etty Feller

General Manager

Israel Laboratory Accreditation Authority

Date of signature 30.06.2019

Page No. 2 of: 21



Name and Address:

Laboratory name ALCHEM Consulting & Engineering Ltd.
P.O.2417 , Kfar Saba, 44641, Israel

Address

Phone +972-9-7675857

Fax +972-9-7676239

E-Mail info@al-chem.com

Site: P or T or M , P-Permanent, T-Temporary, M-Mobile

A permanent (P) or temporary (T) place, or a stationary or mobile (M) facility, at or from which the organization performs activities forming part of its scope of accreditation, starting from sampling to final issuance of a report or certificate and / or quality system activities. A temporary (T) site is a site established under the responsibility of an accredited permanent site. All activities performed at a temporary site are the responsibility of the permanent site. An outdoors work is also considered to be a temporary site. Temporary site will be a site that involves work for special project and the activity will be defined in time (up to 2 years).

Type of Scopes: A- Fixed, C- Flexible scope in analytical tests : Type of matrix, analytes, experimental systems and/or analytical characteristics may be subject to changes, in accordance with the laboratory's approved and documented procedures. For details, please refer to the list of Accredited Tests, available from the laboratory upon request.



Department: Testing Laboratory

ISO/IEC 17025:2005

Accreditation No.

174

Item	Scope Type	Site	Materials / Products Tested		Types of Test / Properties Measured	Standard / Method	Opinion and Interpretation	Remarks	
Group of products: Environment – Air					משפחת מוצרים: איכות הסביבה – אוויר				
Chemical Testing, Chromatography, HPLC					בדיקות כימיות, כרומטוגרפיה, HPLC				
1	A	P	Ambient Air	אוויר סביבתי	Formaldehyde	פורמאלדהיד	In house procedure	---	Based on: EPA TO-11a
2	A	P	Ambient Air	אוויר סביבתי	Acetaldehyde	אצטאלדהיד	In house procedure	---	Based on: EPA TO-11a
3	A	P	Ambient Air	אוויר סביבתי	Benzaldehyde	בנזאלדהיד	In house procedure	---	Based on: EPA TO-11a

Item	Scope Type	Site	Materials / Products Tested		Types of Test / Properties Measured	Standard / Method	Opinion and Interpretation	Remarks	
Group of products: Health - Working Environment					משפחת מוצרים: בריאות - סביבת עובד				
Chemical Testing, Chromatography, GC					בדיקות כימיות, כרומטוגרפיה, GC				
4	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Sevoflurane	סבופלוראן	In house procedure	---	Based On: OSHA 103

Site: P or T or M , P-Permanent, T-Temporary, M-Mobile

A permanent (P) or temporary (T) place, or a stationary or mobile (M) facility, at or from which the organization performs activities forming part of its scope of accreditation, starting from sampling to final issuance of a report or certificate and / or quality system activities. A temporary (T) site is a site established under the responsibility of an accredited permanent site. All activities performed at a temporary site are the responsibility of the permanent site. An outdoors work is also considered to be a temporary site. Temporary site will be a site that involves work for special project and the activity will be defined in time (up to 2 years).

Type of Scopes: A- Fixed, C- Flexible scope in analytical tests : Type of matrix, analytes, experimental systems and/or analytical characteristics may be subject to changes, in accordance with the laboratory's approved and documented procedures. For details, please refer to the list of Accredited Tests, available from the laboratory upon request.



Item	Scope Type	Site	Materials / Products Tested	Types of Test / Properties Measured	Standard / Method	Opinion and Interpretation	Remarks
Group of products: Health – Working Environment				משפחת מוצרים: בריאות- סביבת עובד			
Chemical Testing, Chromatography, Occupational Hygiene, GC				בדיקות כימיות, כרומטוגרפיה, גהות תעסוקתית, GC			
5	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים 1-Methoxy-2-propanol, 1-Methoxy-2-propyl acetate	1 מתאוקסי 2-פרופאנול, 1-מתוקסי 2-פרופיל אצטט	In house procedure	--- Synonyms: Propylene glycol monomethyl acetate, Propylene glycol monomethyl ether Based On: OSHA 99
6	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים 2-butoxyethyl acetate 2-methoxyethyl acetate	2-בוטוקסי אתיל אצטט 2-מתוקסי אתיל אצטט	In house procedure	--- Based On: OSHA 83
7	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים 2-ethoxyethanol	2-אתוקסי אתנול	In house procedure	--- Based On: OSHA 53
8	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים Alcohols I	כהלים I	In house procedure	--- Based on: NIOSH 1400 Compounds: Isopropanol, Ethanol
9	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים Alcohols IV	כהלים IV	In house procedure	--- Compounds: Butyl cellosolve, 2-Butoxyethanol, 2-Ethoxyethanol, 2-Methoxyethanol, Methyl cellosolve Based On: NIOSH 1403
10	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים Colophony	קולופוני	In house procedure	--- Based on: MDHS 83/3

Site: P or T or M , P-Permanent, T-Temporary, M-Mobile

A permanent (P) or temporary (T) place, or a stationary or mobile (M) facility, at or from which the organization performs activities forming part of its scope of accreditation, starting from sampling to final issuance of a report or certificate and / or quality system activities. A temporary (T) site is a site established under the responsibility of an accredited permanent site. All activities performed at a temporary site are the responsibility of the permanent site. An outdoors work is also considered to be a temporary site. Temporary site will be a site that involves work for special project and the activity will be defined in time (up to 2 years).

Type of Scopes: A- Fixed, C- Flexible scope in analytical tests : Type of matrix, analytes, experimental systems and/or analytical characteristics may be subject to changes, in accordance with the laboratory's approved and documented procedures. For details, please refer to the list of Accredited Tests, available from the laboratory upon request.



Item	Scope Type	Site	Materials / Products Tested	Types of Test / Properties Measured	Standard / Method	Opinion and Interpretation	Remarks
Group of products: Health – Working Environment				משפחת מוצרים: בריאות- סביבת עובד			
Chemical Testing, Chromatography, Occupational Hygiene, GC				בדיקות כימיות, כרומטוגרפיה, גהות תעסוקתית, GC			
11	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Dioxane	דיאקסן	In house procedure Based On: NIOSH 1602
12	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Ethyl acetate	אתיל אצטט	In house procedure Based On: NIOSH 1457
13	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Epichlorohydrin	אפיכלורוהידרין	In house procedure Based On : NIOSH 1010
14	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Esters I	אסטרס I	In house procedure Compounds: <i>n, sec, & t</i> Butyl acetate Based On: NIOSH 1450
15	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Hydrocarbons, 36 °C to 126 °C BP	פחמנים אליפטיים נקודת רתיחה 36 °C עד 126 °C BP	In house procedure Compounds: <i>n</i> -Hexane Based On: NIOSH 1500
16	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Hydrocarbons, aromatic	פחמנים ארומטיים	In house procedure Compounds: Benzene, Styrene, Toluene, Xylene Based On: NIOSH 1501

Site: P or T or M , P-Permanent, T-Temporary, M-Mobile

A permanent (P) or temporary (T) place, or a stationary or mobile (M) facility, at or from which the organization performs activities forming part of its scope of accreditation, starting from sampling to final issuance of a report or certificate and / or quality system activities. A temporary (T) site is a site established under the responsibility of an accredited permanent site. All activities performed at a temporary site are the responsibility of the permanent site. An outdoors work is also considered to be a temporary site. Temporary site will be a site that involves work for special project and the activity will be defined in time (up to 2 years).

Type of Scopes: A- Fixed, C- Flexible scope in analytical tests : Type of matrix, analytes, experimental systems and/or analytical characteristics may be subject to changes, in accordance with the laboratory's approved and documented procedures. For details, please refer to the list of Accredited Tests, available from the laboratory upon request.



Department: Testing Laboratory

ISO/IEC 17025:2005

Accreditation No.

174

Item	Scope Type	Site	Materials / Products Tested	Types of Test / Properties Measured	Standard / Method	Opinion and Interpretation	Remarks	
Group of products: Health – Working Environment				משפחת מוצרים: בריאות- סביבת עובד				
Chemical Testing, Chromatography, Occupational Hygiene, GC				בדיקות כימיות, כרומטוגרפיה, גהות תעסוקתית, GC				
17	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Hydrocarbons, halogenated	פחמנים הלוגניים	In house procedure	--- Compounds: Carbon tetrachloride, Chloroform, Tetrachloroethylene (Perchloroethylene), 1,1,1-Trichloroethane Based On: NIOSH 1003
18	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Isoflurane	איזופלוראן	In house procedure	--- Based On: OSHA 103
19	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Ketones I	קטונים 1	In house procedure	--- Compounds: MIBK, Methyl isobutyl ketone Based On : NIOSH 1300
20	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Methanol	מתנול	In house procedure	--- Based On: NIOSH 2000
21	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Methyl acrylate	מתיל אקרילאט	In house procedure	--- Based On: NIOSH 1459
22	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Methyl ethyl ketone	מתיל אתיל קטון	In house procedure	--- Synonyms: 2-Butanone Based On: NIOSH 2500
23	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Methyl methacrylate	מתיל מתאקרילאט	In house procedure	--- Based On: NIOSH 2537
24	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Methylene chloride	מתילן כלוריד	In house procedure	--- Synonyms: Dichloromethane Based On: NIOSH 1005

Site: P or T or M, P-Permanent, T-Temporary, M-Mobile

A permanent (P) or temporary (T) place, or a stationary or mobile (M) facility, at or from which the organization performs activities forming part of its scope of accreditation, starting from sampling to final issuance of a report or certificate and / or quality system activities. A temporary (T) site is a site established under the responsibility of an accredited permanent site. All activities performed at a temporary site are the responsibility of the permanent site. An outdoors work is also considered to be a temporary site. Temporary site will be a site that involves work for special project and the activity will be defined in time (up to 2 years).

Type of Scopes: A- Fixed, C- Flexible scope in analytical tests : Type of matrix, analytes, experimental systems and/or analytical characteristics may be subject to changes, in accordance with the laboratory's approved and documented procedures. For details, please refer to the list of Accredited Tests, available from the laboratory upon request.



Department: Testing Laboratory

ISO/IEC 17025:2005

Accreditation No.

174

Item	Scope Type	Site	Materials / Products Tested	Types of Test / Properties Measured	Standard / Method	Opinion and Interpretation	Remarks
Group of products: Health – Working Environment				משפחת מוצרים: בריאות – סביבת עובד			
Chemical Testing, Chromatography, Occupational Hygiene, GC				בדיקות כימיות, כרומטוגרפיה, גהות תעסוקתית, GC			
25	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Trichloroethylene	טריכלורואתילן	In house procedure Based On : NIOSH 1022
26	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Vinyl chloride	ויניל כלוריד	In house procedure Based On: NIOSH 1007
27	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Acrylonitrile	אקרילוניטריל	In house procedure Based On: NIOSH 1604
28	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Dimethylformamide	דימתילפורממיד	In house procedure Based On: NIOSH 2004
29	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Kerosene	קרוסין	In house procedure Based On: NIOSH 1550

Item	Scope Type	Site	Materials / Products Tested	Types of Test / Properties Measured	Standard / Method	Opinion and Interpretation	Remarks
Group of products: Health – Working Environment				משפחת מוצרים: בריאות - סביבת עובד			
Chemical Testing, Chromatography, Occupational Hygiene, HPLC				בדיקות כימיות, כרומטוגרפיה, גהות תעסוקתית, HPLC			
30	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Diisocyanate	דיאיזוציאנט	In house procedure Hexamethylene-1.6- diisocyanate Toluene-2,6-diisocyanate, Toluene-2,4-diisocyanate Based On: OSHA 42

Site: P or T or M , P-Permanent, T-Temporary, M-Mobile

A permanent (P) or temporary (T) place, or a stationary or mobile (M) facility, at or from which the organization performs activities forming part of its scope of accreditation, starting from sampling to final issuance of a report or certificate and / or quality system activities. A temporary (T) site is a site established under the responsibility of an accredited permanent site. All activities performed at a temporary site are the responsibility of the permanent site. An outdoors work is also considered to be a temporary site. Temporary site will be a site that involves work for special project and the activity will be defined in time (up to 2 years).

Type of Scopes: A- Fixed, C- Flexible scope in analytical tests : Type of matrix, analytes, experimental systems and/or analytical characteristics may be subject to changes, in accordance with the laboratory's approved and documented procedures. For details, please refer to the list of Accredited Tests, available from the laboratory upon request.



Department: Testing Laboratory

ISO/IEC 17025:2005

Accreditation No.

174

Item	Scope Type	Site	Materials / Products Tested	Types of Test / Properties Measured	Standard / Method	Opinion and Interpretation	Remarks
Group of products: Health –Working Environment				משפחת מוצרים: בריאות - סביבת עובד			
Chemical Testing, Chromatography, Occupational Hygiene, HPLC				בדיקות כימיות, כרומטוגרפיה, גהות תעסוקתית, HPLC			
31	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Formaldehyde	פורמאלדהיד	In house procedure Based On: NIOSH 2016
32	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Glutaraldehyde	גלוטאראלדהיד	In house procedure Based On: NIOSH 2532
33	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Methylene Bis-phenyl Isocyanate	מתילן ביס-פניל איזוציאנט	In house procedure Based On: OSHA 47
34	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Phenol	פנול	In house procedure Based On: OSHA 32

Site: P or T or M , P-Permanent, T-Temporary, M-Mobile

A permanent (P) or temporary (T) place, or a stationary or mobile (M) facility, at or from which the organization performs activities forming part of its scope of accreditation, starting from sampling to final issuance of a report or certificate and / or quality system activities. A temporary (T) site is a site established under the responsibility of an accredited permanent site. All activities performed at a temporary site are the responsibility of the permanent site. An outdoors work is also considered to be a temporary site. Temporary site will be a site that involves work for special project and the activity will be defined in time (up to 2 years).

Type of Scopes: A- Fixed, C- Flexible scope in analytical tests : Type of matrix, analytes, experimental systems and/or analytical characteristics may be subject to changes, in accordance with the laboratory's approved and documented procedures. For details, please refer to the list of Accredited Tests, available from the laboratory upon request.



Department: Testing Laboratory

ISO/IEC 17025:2005

Accreditation No.

174

Item	Scope Type	Site	Materials / Products Tested	Types of Test / Properties Measured	Standard / Method	Opinion and Interpretation	Remarks
Group of products: Health – Working Environment				משפחת מוצרים: בריאות- סביבת עובד			
Chemical Testing, Spectroscopy, Occupational Hygiene, ICP				בדיקות כימיות, ספקטרוסקופיה, גהות תעסוקתית, ICP			
35	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים Trace elements	בדיקת יסודות In house procedure	---	Based On: NIOSH 7300 Compounds: Ag, Al, As, Be, Ca, Cd, Co, Cr, Cu, Fe, Mn, Mo, Ni, Pb, Se, W, Zn.

Item	Scope Type	Site	Materials / Products Tested	Types of Test / Properties Measured	Standard / Method	Opinion and Interpretation	Remarks
Group of products: Health – Working Environment				משפחת מוצרים: בריאות- סביבת עובד			
Chemical Testing, Spectroscopy, Occupational Hygiene, Atomic Absorption				בדיקות כימיות, ספקטרוסקופיה, גהות תעסוקתית, בליעה אטומית			
36	A	P	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים Mercury	כספית NIOSH 6009	---	

Site: P or T or M, P-Permanent, T-Temporary, M-Mobile

A permanent (P) or temporary (T) place, or a stationary or mobile (M) facility, at or from which the organization performs activities forming part of its scope of accreditation, starting from sampling to final issuance of a report or certificate and / or quality system activities. A temporary (T) site is a site established under the responsibility of an accredited permanent site. All activities performed at a temporary site are the responsibility of the permanent site. An outdoors work is also considered to be a temporary site. Temporary site will be a site that involves work for special project and the activity will be defined in time (up to 2 years).

Type of Scopes: A- Fixed, C- Flexible scope in analytical tests : Type of matrix, analytes, experimental systems and/or analytical characteristics may be subject to changes, in accordance with the laboratory's approved and documented procedures. For details, please refer to the list of Accredited Tests, available from the laboratory upon request.



Department: Testing Laboratory

ISO/IEC 17025:2005

Accreditation No.

174

Item	Scope Type	Site	Materials / Products Tested	Types of Test / Properties Measured	Standard / Method	Opinion and Interpretation	Remarks
Group of products: Environment-Air				משפחת מוצרים: איכות הסביבה-אוויר			
Chemical Testing, Spectroscopy, ICP				בדיקות כימיות, ספקטרוסקופיה, ICP			
37	A	P	Ambient Air	אוויר פתוח Determination of Metals (Trace elements)	קביעת ריכוז מתכות (יסודות)	EPA IO-3.4	--- Compounds: Ag, Al, As, B, Ba, Be, Bi, Ca, Cd, Co, Cr, Cu, Fe, Ga, In, K, Li, Mg, Mo, Mn, Na, Ni, P, Pb, S, Sb, Se, Sn, Sr, Ti, Tl, V, W, Zn

Item	Scope Type	Site	Materials / Products Tested	Types of Test / Properties Measured	Standard / Method	Opinion and Interpretation	Remarks
Group of products: Environment-Air				משפחת מוצרים: איכות הסביבה-אוויר			
Chemical Testing, Spectroscopy, Atomic Absorption				בדיקות כימיות, ספקטרוסקופיה, בליעה אטומית			
38	A	P	Ambient Air	אוויר פתוח Mercury	כספית	EPA 30B	----

Item	Scope Type	Site	Materials / Products Tested	Types of Test / Properties Measured	Standard / Method	Opinion and Interpretation	Remarks
Group of products: Environment-Air				משפחת מוצרים: איכות הסביבה-אוויר			
Chemical Testing, Spectroscopy, UV/Visible				בדיקות כימיות, ספקטרוסקופיה, תחום נראה, UV			
39	A	P	Air from stationary sources	אוויר ממקורות נייחים Mercaptanes	מדידת מרקפטנים	In house procedure	--- Based On: MASA 118 MASA=Methods of Air Sampling Analysis

Site: P or T or M , P-Permanent, T-Temporary, M-Mobile

A permanent (P) or temporary (T) place, or a stationary or mobile (M) facility, at or from which the organization performs activities forming part of its scope of accreditation, starting from sampling to final issuance of a report or certificate and / or quality system activities. A temporary (T) site is a site established under the responsibility of an accredited permanent site. All activities performed at a temporary site are the responsibility of the permanent site. An outdoors work is also considered to be a temporary site. Temporary site will be a site that involves work for special project and the activity will be defined in time (up to 2 years).

Type of Scopes: A- Fixed, C- Flexible scope in analytical tests : Type of matrix, analytes, experimental systems and/or analytical characteristics may be subject to changes, in accordance with the laboratory's approved and documented procedures. For details, please refer to the list of Accredited Tests, available from the laboratory upon request.



Department: Testing Laboratory

ISO/IEC 17025:2005

Accreditation No.

174

Item	Scope Type	Site	Materials / Products Tested		Types of Test / Properties Measured	Standard / Method	Opinion and Interpretation	Remarks	
Group of products: Environment-Air					משפחת מוצרים: איכות הסביבה-אוויר				
Chemical Testing, Spectroscopy, UV/Visible					בדיקות כימיות, ספקטרוסקופיה, תחום נראה, UV				
40	A	P	Air from stationary sources	אוויר ממקורות נייחים	Hydrogen Sulfide	H2S פליטת	MASA 701	---	
41	A	P	Air from stationary sources	אוויר ממקורות נייחים	Ammonia	אמוניה	MASA 401	---	
42	A	P	Air from stationary sources	אוויר ממקורות נייחים	Ammonia	אמוניה	NIOSH 6015	---	

Item	Scope Type	Site	Materials / Products Tested		Types of Test / Properties Measured	Standard / Method	Opinion and Interpretation	Remarks	
Group of products: Environment - Soil, Aggregates and Water					משפחת מוצרים: איכות הסביבה - קרקע, אגרגטים ומים				
Chemical Testing, Spectroscopy, ICP					בדיקות כימיות, ספקטרוסקופיה, ICP				
43	A	P	Soil	קרקע	Trace elements	בדיקות יסודות	EPA SW 846 method 6010 D	---- Metals:Ag, Al, As, B, Ba, Be, Bi, Ca, Cd, Co, Cr, Cu, Fe, Ga, In, K, Li, Mg, Mo, Mn, Na, Ni, P, Pb, S, Sb, Se, Sn, Sr, Ti, Tl, V, W, Zn	

Site: P or T or M , P-Permanent, T-Temporary, M-Mobile

A permanent (P) or temporary (T) place, or a stationary or mobile (M) facility, at or from which the organization performs activities forming part of its scope of accreditation, starting from sampling to final issuance of a report or certificate and / or quality system activities. A temporary (T) site is a site established under the responsibility of an accredited permanent site. All activities performed at a temporary site are the responsibility of the permanent site. An outdoors work is also considered to be a temporary site. Temporary site will be a site that involves work for special project and the activity will be defined in time (up to 2 years).

Type of Scopes: A- Fixed, C- Flexible scope in analytical tests : Type of matrix, analytes, experimental systems and/or analytical characteristics may be subject to changes, in accordance with the laboratory's approved and documented procedures. For details, please refer to the list of Accredited Tests, available from the laboratory upon request.



Item	Scope Type	Site	Materials / Products Tested	Types of Test / Properties Measured	Standard / Method	Opinion and Interpretation	Remarks		
Group of products: Health- Working Environment				משפחת מוצרים: בריאות - סביבת עובד					
Sampling, Occupational Hygiene				דיגום, גהות תעסוקתית					
44	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים 2-butoxyethanol (butyl cellosolve) 2-butoxyethyl acetate (butyl cellosolve acetate)	2-בוטוקסיאתאנול (בוטיל סלוסולב), 2-בוטוקסיאתיל אצטאט (בוטיל סלוסולב אצטאט)	OSHA 83	---	OSHA=Occupational Safety & Health Administration	
45	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	2-methoxyethyl acetate	2-מתאוקסיאתיל אצטאט	NIOSH 1451	---	Methyl cellosolve acetate
46	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Acrylonitrile	אקרילוניטריל	NIOSH 1604	---	NIOSH= The National Institute for Occupational Safety and Health
47	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Alcohols iv	כוהלים IV	NIOSH 1403	---	Compounds: Butyl cellosolve, 2-Butoxyethanol, 2-Ethoxyethanol, 2-Methoxyethanol, Methyl cellosolve
48	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Ammonia	אמוניה	NIOSH 6015	---	
49	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Arsenic & compounds as As	ארסן וחומרים כארסן	NIOSH 7900	---	
50	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Arsine	ארסין	NIOSH 6001	---	
51	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Asbestos & other fibers	אסבסט וסיבים אחרים	NIOSH 7400	---	

Site: P or T or M , P-Permanent, T-Temporary, M-Mobile

A permanent (P) or temporary (T) place, or a stationary or mobile (M) facility, at or from which the organization performs activities forming part of its scope of accreditation, starting from sampling to final issuance of a report or certificate and / or quality system activities. A temporary (T) site is a site established under the responsibility of an accredited permanent site. All activities performed at a temporary site are the responsibility of the permanent site. An outdoors work is also considered to be a temporary site. Temporary site will be a site that involves work for special project and the activity will be defined in time (up to 2 years).

Type of Scopes: A- Fixed, C- Flexible scope in analytical tests : Type of matrix, analytes, experimental systems and/or analytical characteristics may be subject to changes, in accordance with the laboratory's approved and documented procedures. For details, please refer to the list of Accredited Tests, available from the laboratory upon request.



Item	Scope Type	Site	Materials / Products Tested	Types of Test / Properties Measured	Standard / Method	Opinion and Interpretation	Remarks		
Group of products: Health- Working Environment				משפחת מוצרים: בריאות - סביבת עובד					
Sampling, Occupational Hygiene				דיגום, גהות תעסוקתית					
52	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Beryllium and cpds, as Be	בריליום תרכובותיו כבריליום	NIOSH 7102	---	
53	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Cadmium and compounds, as Cd	קדמיום תרכובותיו כקדמיום	NIOSH 7048	---	
54	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Carbon black	פחם שחור	NIOSH 5000	---	
55	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Chlorine	כלור	OSHA ID-101	---	
56	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Chromium and compounds, as Cr	כרומיום וחומרים ככרומיום	NIOSH 7024	---	
57	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Chromium, hexavalent	כרומיום הקסוולנט	NIOSH 7600	---	Synonyms: Chromic acid
58	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Cobalt and compounds, as Co	קובאלט ותרכובותיו כקובאלט	NIOSH 7027	---	
59	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Colophony	קולופוני	MDHS 83	---	MDHS=Methods for Determination of Hazardous Substances

Site: P or T or M , P-Permanent, T-Temporary, M-Mobile

A permanent (P) or temporary (T) place, or a stationary or mobile (M) facility, at or from which the organization performs activities forming part of its scope of accreditation, starting from sampling to final issuance of a report or certificate and / or quality system activities. A temporary (T) site is a site established under the responsibility of an accredited permanent site. All activities performed at a temporary site are the responsibility of the permanent site. An outdoors work is also considered to be a temporary site. Temporary site will be a site that involves work for special project and the activity will be defined in time (up to 2 years).

Type of Scopes: A- Fixed, C- Flexible scope in analytical tests : Type of matrix, analytes, experimental systems and/or analytical characteristics may be subject to changes, in accordance with the laboratory's approved and documented procedures. For details, please refer to the list of Accredited Tests, available from the laboratory upon request.



Item	Scope Type	Site	Materials / Products Tested	Types of Test / Properties Measured	Standard / Method	Opinion and Interpretation	Remarks		
Group of products: Health- Working Environment				משפחת מוצרים: בריאות - סביבת עובד					
Sampling, Occupational Hygiene				דיגום, גהות תעסוקתית					
60	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Diisocyanates	דיאיזוציאנאט	OSHA 42	---	Hexamethylene-1,6- diisocyanate Toluene-2,6-diisocyanate, Toluene-2,4-diisocyanate
61	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Dimethylformamide	דימתילפורמאמיד	NIOSH 2004	---	
62	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Dioxane	דיאוקסן	NIOSH 1602	---	
63	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Enflurane and Halothane	אנפלוראן והלותאן	OSHA 29	---	
64	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Enflurane Halothane Isoflurane	אנפלוראן, הלותאן, איזופלוראן	OSHA 103	---	
65	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Epichlorohydrin	אפיכלורוהידרין	NIOSH 1010	---	
66	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Esters I	אסטרס I	NIOSH 1450	---	Compounds: tButyl acetate
67	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Ethyl acetate	אתיל אצטט	NIOSH 1457	---	

Site: P or T or M , P-Permanent, T-Temporary, M-Mobile

A permanent (P) or temporary (T) place, or a stationary or mobile (M) facility, at or from which the organization performs activities forming part of its scope of accreditation, starting from sampling to final issuance of a report or certificate and / or quality system activities. A temporary (T) site is a site established under the responsibility of an accredited permanent site. All activities performed at a temporary site are the responsibility of the permanent site. An outdoors work is also considered to be a temporary site. Temporary site will be a site that involves work for special project and the activity will be defined in time (up to 2 years).

Type of Scopes: A- Fixed, C- Flexible scope in analytical tests : Type of matrix, analytes, experimental systems and/or analytical characteristics may be subject to changes, in accordance with the laboratory's approved and documented procedures. For details, please refer to the list of Accredited Tests, available from the laboratory upon request.



Item	Scope Type	Site	Materials / Products Tested	Types of Test / Properties Measured	Standard / Method	Opinion and Interpretation	Remarks	
Group of products: Health- Working Environment				משפחת מוצרים: בריאות - סביבת עובד				
Sampling, Occupational Hygiene				דיגום, גהות תעסוקתית				
68	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים Formaldehyde	פורמאלדהיד NIOSH 2016	---		
69	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים Glutaraldehyde	גלוטראלדהיד NIOSH 2532	---		
70	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים Glycol Ethers	גליקולים אתריים NIOSH 2554	---	Compounds: 1-Methoxy-2-propanol, 1-Methoxy-2-propyl Acetate Synonyms: Propylene glycol monomethyl ether, Propylene glycol monomethyl ether acetate	
71	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים Hydrazine	הידראזין NIOSH 3503	---		
72	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים Hydrocarbons, 36 °C to 126 °C BP	פחמנים אליפטיים, נקודת רתיחה 126 °C עד 36 °C NIOSH 1500	---	Compounds: n-Hexane	
73	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים Hydrocarbons, aromatic	פחמנים ארומטיים NIOSH 1501	---	Compounds: Benzene, Styrene, Toluene, Xylene	
74	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים Hydrocarbons, halogenated	פחמנים הלוגניים NIOSH 1003	---	Compounds: Carbon tetrachloride, Chloroform, Tetrachloroethylene (Perchloroethylene), 1,1,1-Trichloroethane	

Site: P or T or M , P-Permanent, T-Temporary, M-Mobile

A permanent (P) or temporary (T) place, or a stationary or mobile (M) facility, at or from which the organization performs activities forming part of its scope of accreditation, starting from sampling to final issuance of a report or certificate and / or quality system activities. A temporary (T) site is a site established under the responsibility of an accredited permanent site. All activities performed at a temporary site are the responsibility of the permanent site. An outdoors work is also considered to be a temporary site. Temporary site will be a site that involves work for special project and the activity will be defined in time (up to 2 years).

Type of Scopes: A- Fixed, C- Flexible scope in analytical tests : Type of matrix, analytes, experimental systems and/or analytical characteristics may be subject to changes, in accordance with the laboratory's approved and documented procedures. For details, please refer to the list of Accredited Tests, available from the laboratory upon request.



Item	Scope Type	Site	Materials / Products Tested	Types of Test / Properties Measured	Standard / Method	Opinion and Interpretation	Remarks		
Group of products: Health- Working Environment					משפחת מוצרים: בריאות - סביבת עובד				
Sampling, Occupational Hygiene					דיגום, גהות תעסוקתית				
75	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Hydroquinone	הידרוקווינון	NIOSH 5004	---	
76	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Inhalible and respirable particles	סה"כ חלקיקים מקטע נשאף	HSE Method MDHS 14	---	Compounds: Wood Dust, Flour Dust
77	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Kerosene	קרוסין	NIOSH 1550	---	
78	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Ketones I	קטונים 1	NIOSH 1300	---	Compounds:, MIBK, Methyl isobutyl ketone
79	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Lead	עופרת	NIOSH 7082	---	
80	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Mercury	כספית	NIOSH 6009	---	
81	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Metal & metalloid particulates	מתכת וחלקיקים מתכתיים	OSHA ID-121	---	Elements: As, Cd, Cr, Co, Ni, Pb
82	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Metal working fluids	נוזלי קירור	NIOSH 5524	---	
83	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Methyl acrylate	מתיל אקרילאט	NIOSH 1459	---	

Site: P or T or M , P-Permanent, T-Temporary, M-Mobile

A permanent (P) or temporary (T) place, or a stationary or mobile (M) facility, at or from which the organization performs activities forming part of its scope of accreditation, starting from sampling to final issuance of a report or certificate and / or quality system activities. A temporary (T) site is a site established under the responsibility of an accredited permanent site. All activities performed at a temporary site are the responsibility of the permanent site. An outdoors work is also considered to be a temporary site. Temporary site will be a site that involves work for special project and the activity will be defined in time (up to 2 years).

Type of Scopes: A- Fixed, C- Flexible scope in analytical tests : Type of matrix, analytes, experimental systems and/or analytical characteristics may be subject to changes, in accordance with the laboratory's approved and documented procedures. For details, please refer to the list of Accredited Tests, available from the laboratory upon request.



Department: Testing Laboratory

ISO/IEC 17025:2005

Accreditation No.

174

Item	Scope Type	Site	Materials / Products Tested	Types of Test / Properties Measured	Standard / Method	Opinion and Interpretation	Remarks
Group of products: Health- Working Environment				משפחת מוצרים: בריאות - סביבת עובד			
Sampling, Occupational Hygiene				דיגום, גהות תעסוקתית			
84	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים Methyl Ethyl Ketone	מתיל אתיל קטון NIOSH 2555	---	
85	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים Methyl methacrylate	מתיל מתאקרילאט NIOSH 2537	---	
86	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים Methylene Bis-phenyl Isocyanate	מתילן בייס-פניל איזוציאנאט OSHA 47	---	Synonyms: 2 Nitropropane
87	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים Methylene chloride	מתילן כלוריד NIOSH 1005	---	Synonyms: Dichloromethane
88	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים Organophosphorus pesticides	פסטיצידיים אורגנוזרחניים NIOSH 5600	---	Synonyms: Azinphos methyl, Chlorpyrifos, Diazinon, Dicrotophos, Ethion, Ethoprop, Fenamiphos, Fonofos, Malathion, Methamidophos, Methyl parathion, Mevinphos, Monocrotophos, Organophosphorus Pesticides, Parathion, Pesticides, Phorate, Phosdrin (mevinphos), Ronnel, Sulprofos, Terbufos
89	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים Phenol	פנול OSHA 32	---	
90	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים Silica, crystalline	סיליקה קריסטאלית NIOSH 7500	---	Synonyms: Silicon dioxide

Site: P or T or M, P-Permanent, T-Temporary, M-Mobile

A permanent (P) or temporary (T) place, or a stationary or mobile (M) facility, at or from which the organization performs activities forming part of its scope of accreditation, starting from sampling to final issuance of a report or certificate and / or quality system activities. A temporary (T) site is a site established under the responsibility of an accredited permanent site. All activities performed at a temporary site are the responsibility of the permanent site. An outdoors work is also considered to be a temporary site. Temporary site will be a site that involves work for special project and the activity will be defined in time (up to 2 years).

Type of Scopes: A- Fixed, C- Flexible scope in analytical tests : Type of matrix, analytes, experimental systems and/or analytical characteristics may be subject to changes, in accordance with the laboratory's approved and documented procedures. For details, please refer to the list of Accredited Tests, available from the laboratory upon request.



Item	Scope Type	Site	Materials / Products Tested	Types of Test / Properties Measured	Standard / Method	Opinion and Interpretation	Remarks	
Group of products: Health- Working Environment					משפחת מוצרים: בריאות - סביבת עובד			
Sampling, Occupational Hygiene					דיגום, גהות תעסוקתית			
91	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Sulfuric Acid	חומצה גפרתית	NIOSH 7908	---
92	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Trace elements	בדיקת יסודות	NIOSH 7300	---
93	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Trichloroethylene	טריכלורואתילן	NIOSH 1022	---
94	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Tungsten (soluble/insoluble)	טונגסטן (מסיס/לא מסיס)	NIOSH 7074	---
95	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Vinyl chloride	ויניל כלוריד	NIOSH 1007	---
96	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	1-Methoxy-2-propanol, 2-Methoxy-1-propanol, 1-Methoxy-2-propyl Acetate, 2-Methoxy-2-propyl Acetate	1-מתאוקסי 2-פרופאנול, 2-מתאוקסי 1-פרופאנול, 1-מתאוקסי 2-פרופיל אצטאט, 2-מתאוקסי 2-פרופיל אצטאט	OSHA 99	---
97	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Benzoyl peroxide	בנזואיל פראוקסיד	NIOSH 5009	---
98	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים	Ethylene oxide	אתילן אוקסיד	NIOSH 1614	---

Site: P or T or M , P-Permanent, T-Temporary, M-Mobile

A permanent (P) or temporary (T) place, or a stationary or mobile (M) facility, at or from which the organization performs activities forming part of its scope of accreditation, starting from sampling to final issuance of a report or certificate and / or quality system activities. A temporary (T) site is a site established under the responsibility of an accredited permanent site. All activities performed at a temporary site are the responsibility of the permanent site. An outdoors work is also considered to be a temporary site. Temporary site will be a site that involves work for special project and the activity will be defined in time (up to 2 years).

Type of Scopes: A- Fixed, C- Flexible scope in analytical tests : Type of matrix, analytes, experimental systems and/or analytical characteristics may be subject to changes, in accordance with the laboratory's approved and documented procedures. For details, please refer to the list of Accredited Tests, available from the laboratory upon request.



Department: Testing Laboratory

ISO/IEC 17025:2005

Accreditation No.

174

Item	Scope Type	Site	Materials / Products Tested	Types of Test / Properties Measured	Standard / Method	Opinion and Interpretation	Remarks
Group of products: Health- Working Environment				משפחת מוצרים: בריאות- סביבת עובד			
Sampling				דיגום			
99	A	T	Worker exposure to hazardous materials	חשיפת עובד לגורמים מזיקים Sevoflurane	סבופלוראן OSHA 103	---	

Site: P or T or M , P-Permanent, T-Temporary, M-Mobile

A permanent (P) or temporary (T) place, or a stationary or mobile (M) facility, at or from which the organization performs activities forming part of its scope of accreditation, starting from sampling to final issuance of a report or certificate and / or quality system activities. A temporary (T) site is a site established under the responsibility of an accredited permanent site. All activities performed at a temporary site are the responsibility of the permanent site. An outdoors work is also considered to be a temporary site. Temporary site will be a site that involves work for special project and the activity will be defined in time (up to 2 years).

Type of Scopes: A- Fixed, C- Flexible scope in analytical tests : Type of matrix, analytes, experimental systems and/or analytical characteristics may be subject to changes, in accordance with the laboratory's approved and documented procedures. For details, please refer to the list of Accredited Tests, available from the laboratory upon request.



Department: Regulator Requirement 1-000005

Accreditation No.

174

Item	Scope Type	Site	Materials / Products Tested	Types of Test / Properties Measured	Standard / Method	Opinion and Interpretation	Remarks
Group of products: Health				משפחת מוצרים : בריאות			
Occupational Noise				רעש תעסוקתי			
100	A	T	Working Environment סביבת העובד	Occupational noise	רעש תעסוקתי	נוהל ביצוע בדיקה סביבתית לרעש ונוהל תכנון ניטור רעש תעסוקתי	---

Site: P or T or M , P-Permanent, T-Temporary, M-Mobile

A permanent (P) or temporary (T) place, or a stationary or mobile (M) facility, at or from which the organization performs activities forming part of its scope of accreditation, starting from sampling to final issuance of a report or certificate and / or quality system activities. A temporary (T) site is a site established under the responsibility of an accredited permanent site. All activities performed at a temporary site are the responsibility of the permanent site. An outdoors work is also considered to be a temporary site. Temporary site will be a site that involves work for special project and the activity will be defined in time (up to 2 years).

Type of Scopes: A- Fixed, C- Flexible scope in analytical tests : Type of matrix, analytes, experimental systems and/or analytical characteristics may be subject to changes, in accordance with the laboratory's approved and documented procedures. For details, please refer to the list of Accredited Tests, available from the laboratory upon request.